



Sales Pricelist

9/25/2024

item number	item group discount group	description	sales price	PU	QR code	picture
554004	008 008	KD2040-Premium 4x4-C EHRLE Coldwater-High- Pressure-Cleaner				
5350	106 106	Cable gland M16x1,5 black				
5346	106 106	Cable gland PERFECT M16x1,5 black				
261000	120 120	Cableclip red for connection cable H07RN-F 3x1,5 , 4x1,5				
800520	134 134	Chassis KD4x4 DC01 powdercoated KD1140, KD1340, KD1540, KD1840, KD2040		pcs.		
601244	012 012	Chassis KD4x4 Premium 2-wheeled DAP Compound grey RAL7016 rotation- moulded				
205602	014 014	Chemical metric valve basic body 1/4" wit 2 hose barbs 1/4"- 7mm				
205601	134 134	Chemical suction spout KD4x4, KD3x3				
2056	134 134	Chemical suctionhose filter				

Sales Pricelist

9/25/2024

item number	item group discount group	description	sales price	PU	QR code	picture
2381	410 410	Clip Hose 1-Ear 11,0mm clamping area: 8,8- 10,5mm Stainless steel				
289801	410 410	Clip Hose 1-Ear 11,8mm Stainless steel				
300520	107 107	Connection cable H07RN-F, 4G2,5mm² 7,50m KD1540/2040				
3535	110 110	Connection for hose-reel 300 Eingang MS58				
581001	108 108	Contactor 11kW 400V 50-60Hz LC1D25V7*Schütz LC1D25V7*				
35094	103 103	Controlboard Etronic 3 400V				
601145	120 120	Cover KD4x4 ABS natural high polish red RAL3020				
800567	134 134	Covering Stainless steel 1.4301 float box KD1140, KD1340, KD1540, KD1840, KD2040 Premium		pcs.		
5315	410 410	Cross recessed pan head tapping screw C-H DIN 7981 DIN-EN-ISO 7049 M4,8x25 stainless steel				

Sales Pricelist

9/25/2024

item number	item group discount group	description	sales price	PU	QR code	picture
3551	410 410	Cross recessed pan head tapping screw F-H DIN 7981 DIN-EN-ISO 7049 M4,2x16 zinc plated				
2877	134 134	Disc for wheel 20mm without cap zinc plated				
3555	410 410	Drain plug G1/4" A DIN908 Ms58 G1/4" DIN908 MS58				
392799	404 404	Elbow pipe with flanging Ø20x1,5 INOX for float valve DN13				
300013	120 120	Electirc switchbox BG132 PP Grey drilled for cable inlet				
601141	407 407	Electric-Motor 3AC400/690V 50Hz 11kW MEC132 1500rpm double flange				
270066	410 410	eyelet bolt DIN 580 M10 C15E blue zinc plated				
2629	405 405	Fitting clamping screw brass hex SW36 3/4" 6mm				
231401	405 405	Fitting-Bifurcation brass 1/2" F.F.F.				

Sales Pricelist

9/25/2024

item number	item group discount group	description	sales price	PU	QR code	picture
207701	405 405	Fitting-Elbow 90° brass 1/2" M.M.				
509801	405 405	Fitting-Reducer brass hex SW28 3/4"x1/2" M.F.				
384552	410 410	Flange button head screw with inside hexagon DIN-EN-ISO 7380-2 M6x10 stainless steel				
100009	196 196	Float valve DN13 0,3- 10bar float PE				
601147	120 120	Gun bracket long horizontal mounting PA6 red				
3503	120 120	Gun bracket short horizontal mounting PA6 red				
5172	410 410	Hexago socket head cap screw DIN 912 DIN-EN-ISO 4762 M6x35 zinc plated				
386214	410 410	Hexagon head screw serrated with flange like DIN 6921 M8x12 stainless steel				
386206	410 410	Hexagon head screw serrated with flange like DIN 6921 M5x16 stainless steel				

Sales Pricelist

9/25/2024

item number	item group discount group	description	sales price	PU	QR code	picture
386220	410 410	Hexagon head screw serrated with flange like DIN 6921 M8x40 stainless steel				
386222	410 410	Hexagon head screw serrated with flange like DIN 6921 M10x30 stainless steel				
2709	410 410	Hexagon nut DIN934 DIN-EN-ISO 4032 M6 zinc plated				
3549	410 410	Hexagon socket head cap screw DIN 912 DIN-EN-ISO 4762 M4x40 zinc plated				
3846011	410 410	Hexagon socket head cap screw DIN 912 DIN-EN-ISO 4762 M8x30 stainless steel				
38791	410 410	Hexagon socket head cap screw DIN 912 DIN-EN-ISO M5x16 stainless steel				
385701	410 410	Hexagon socket head cap screw DIN 912 DIN-EN-ISO 4762 M4x35 stainless steel				
52742	410 410	Hexagon socket head cap screws 8.8 DIN 912 DIN-EN-ISO 4762 M6x30 zinc plated				
3533	110 110	High pressure connection outlet M22x1,5 Male/Ø12mm Inox 1.4305 Hose reel 300				

Sales Pricelist

9/25/2024

item number	item group discount group	description	sales price	PU	QR code	picture
372401	410	Hose clamp stst 20-32mm				
	410	12mm wide				
3688	405	Hose nipple brass hex 3/4"M 20mm				
	405	3/4" AG 20mm				
354005	134	Hose reel 150 spring 1.4310				
	134	DF 1,10x12,90x65,40x8, 50, cut				
3543	120	Hose reel 150/300 connecting-part				
	120	PA6 nature				
354003	120	Hose reel 150/300 crank cap				
	120	PA6 GF30% red				
354006	120	Hose reel 150/300 handle crank				
	120	ABS black				
354007	120	Hose reel 150/300 handle up inside				
	120	ABS black				
354008	120	Hose reel 150/300 handle up outside				
	120	ABS black				
354004	120	Hose reel 150/300 spring bolt crank				
	120	PA6 GF30% red				

Sales Pricelist


9/25/2024



item number	item group discount group	description	sales price	PU	QR code	picture
3542	120 120	Hose reel 300 fixing-part PA6 Mg 30% GF black				
3539	120 120	Hose reel 300 PVC-shell PA6 MG30% GF black				
3541	120 120	Hose reel 300 side cover left PA6 Mg30% GF black				
3540	120 120	Hose reel 300 side cover right PA6 MG30% GF black				
3534	110 110	Hose reel 300 spacer Ø30/22x7 MS58				
353204	110 110	Hose reel 300 Spindle turned part Ø22x455mm hexagon 1.4305				
3536	601 601	Hose reel 300 tube-bow hoseconnection 1.4301				
3569	110 110	Hose reel 300 washer Ø35/16,2/2				
3570	110 110	Hose reel 300 washer Ø35/22,2/2 VA 1.4301				

Sales Pricelist

9/25/2024

item number	item group discount group	description	sales price	PU	QR code	picture
381607	402	HP-Hose rubber steel mesh black DN10 400bar				
	402	150°C bs CNOL M18x1,5 560mm				
200514	402	HP-Hose rubber steel mesh DN10 315bar				
	402	150°C bs HSC M22x1,5 os bend protection 20m				
381606	402	HP-Hose rubber steel mesh DN10 400bar				
	402	150°C bs CNOL M18x1,5/os90° 400mm				
601139	406	HP-Pump IP W2030 SSR Ø22				
	406	30l/min 200bar 1450rpm				
591724	410	JD-79 Chipboard screw, countersunk head Z				
	410	M4,5x25 zinc plated				
800574	134	Motor socket BG132 DC01 powdercoated		pcs.		
	134	KD1540, KD2040 Premium				
206409	120	Nozzleclip 100				
	120	POM brown				
3547	184	O-ring 22x3 black for hose-reel				
	184	OR3002200-N7022				
5809	108	Overload-Protection 23- 32A				
	108					

Sales Pricelist

9/25/2024

item number	item group discount group	description	sales price	PU	QR code	picture
277704	014 014	Pressure-gauge 0-400bar gly. Ø50 1/4"M connection back centric, INOX-case				
3550	410 410	Prevailing torque type hexagon nut nylon insert DIN 985 DIN-EN-ISO 10511 M4 zinc plated				
3550	410 410	Prevailing torque type hexagon nut nylon insert DIN 985 DIN-EN-ISO 10511 M4 zinc plated				
2057011	403 403	PVC-hose transparent 6x9mm 7,0bar -20°C/+65°C				
299001	120 120	Rotary button chemical valve ABS Terloran GP35 blue				
299002	120 120	Rotary button switch on- off ABS Terloran GP35 red				
361607	412 412	Rotary nozzle TN06AA L10 1/4"F max.300bar@30l/min				
578713	120 120	Rubber feet for chassis TPE-V black				
3667	403 403	Rubber-hose black 19x28mm R3/4" 30bar -30°C/+100°C				

Sales Pricelist

9/25/2024

item number	item group discount group	description	sales price	PU	QR code	picture
300601	788 788	Safety Instructions for High Pressure Cleaners				
59871	410 410	Screw countersunk head like KN 6039 STS plus M4x10 stainless steel				
2359	121 121	Screw union 3/8" 12L				
20961	110 110	Screw union GE-12LR 3/8" 1.0038				
20961	110 110	Screw union GE-12LR 3/8" 1.0038				
2157	121 121	Screw union XGE-12LR B3/8"				
2358	121 121	Screw-union XGE12LRB 1/2				
5397	184 184	Seal 3/4" 24,0x17x2 mm Klingersil C-4400				
2369	184 184	Sealing Ring-Alu. 8x11.5x1.0 mm (PE1)				

Sales Pricelist

9/25/2024

item number	item group discount group	description	sales price	PU	QR code	picture
14149	184 184	Sealing-ring copper 10x15x2				
3545	134 134	Sealing-ring copper 10x15x2,0mm Form A, gl. massiv				
3554	410 410	Seeger ring Ø22 DIN 471/A A2 Ø22 DIN471/A A2				
27991	410 410	Serrated lock washer type A DIN 6798 Ø1=8,4mm Ø2=15mm stainless steel				
27881	410 410	Serrated lock washer type J DIN 6798 Ø1=28mm Ø2=44mm stainless steel				
100080	134 134	Spindle Hose reel 300				
900049	132 132	Spraylance st.st. 900mm 15° angled KEW QC, nozzle protection red 1/4"F, nozzle 25100 1/4"M				
900239	132 132	Spraylance st.st. 900mm 15° angled, quick- coupling Rotary nozzle L100 1/4" F 300bar 30l/m				
3305	132 132	Spraylance stainless steel 900mm 15° angled R1/4"M, KEW quick- coupling				

Sales Pricelist

9/25/2024

item number	item group discount group	description	sales price	PU	QR code	picture
900044	132	Spraylance stainless steel 900mm 15° angled				
	132	KEW quick-coupling, nozzle protection red 1/4"F				
589900	189	Sticker EHRLE-Logo 210x50mm				
	189	KD4x4				
591116	189	Sticker KD2040 Premium				
	189	royalplast FTC-Ultra, printed red, 80mm round				
303740	189	Sticker noise 90 dB				
	189	format: 60x65mm				
590500	189	Sticker warning notice yellow				
	189	102x62mm red-black printed				
38916	134	Suction hose connection with chemical injector				
	134	1/2"M / 19mm Brass MS58				
3548	410	Supporting-ring 22x27,2x1, for hose-reel				
	410	geschlitz 22x27,2x1,4				
204615	108	Switch On/Off 2 poles V2N A2-F25H-X-XG9				
	108					
601146	120	Terminal box cover KD4x4 Premium				
	120	ABS natural high polish red RAL3020				

Sales Pricelist

9/25/2024

item number	item group discount group	description	sales price	PU	QR code	picture
330020	132	Trigger gun Premium Soft Touch 360bar 40l/min				
	132	150°C with quick- coupling red, M22x1,5				
120034	134	Tubular frame KD4x4		pcs.		
	134	Steel PC-RAL7016				
5334	404	Union nut brass nickelplated DN20 R3/4"				
	404					
352603	151	Unloader VRT-3/8" 300bar@30l with pressure switch				
	151	c/w. hand-wheel				
110019	151	Unloader-Unit UV31 KD1840/2040				
	151					
661300	400	Valve cup M32x1,5x29,5for HP- pumpW2525,W2030				
	400	%Outlet%				
661301	667	Valve plug 1/4"F for HP-pump W2525, W2030				
38781	410	Washer DIN 9021 DIN- EN-ISO 7093				
	410	Ø1=5,3mm Ø2=15mm stainless steel				
35705	410	Washer DIN 988				
	410	Ø1=27mm Ø2=38mm x 1,5mm stainless steel				

item number	item group discount group	description	sales price	PU	QR code	picture
27051	410	Washer type A DIN 125				
	410	DIN-EN-ISO 7089 Ø1=8,4mm Ø2=16mm stainless steel				
35333	110	Water connection float				
	110	valve MS58 hex KD3x3				
264405	134	Waterinlet filter G3/4"F				
	134					
373900	134	Wheel 300x80mm black				
	134					
373911	134	Wheel Blinde red				
	134	Ø300mm				
5348	106	Wire-joint nut M25x1,5				
	106	grey				
5312	106	Wire-joint PERFECT				
	106	M25x1,5				