

# Sales Pricelist

10/8/2024

| item number | item group<br>discount group | description                                                                | sales price | PU | QR code                                                                               | picture                                                                               |
|-------------|------------------------------|----------------------------------------------------------------------------|-------------|----|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 533004      | 021<br>021                   | HSC1140-INOX FR<br>30kW<br>EHRLE Hotwater-High-<br>Pressure-Cleaner        |             |    |    |    |
| 537903      | 405<br>405                   | Ball valve brass<br>3/4" M.M.                                              |             |    |    |    |
| 5084        | 405<br>405                   | Ball Valve KFE brass<br>nickel plated Simplex<br>PN 16<br>1/2"M            |             |    |    |    |
| 593605      | 106<br>106                   | Cabel protection hose Ø<br>16mm                                            |             |    |   |   |
| 5350        | 106<br>106                   | Cable gland M16x1,5<br>black                                               |             |    |  |  |
| 5347        | 106<br>106                   | Cable gland M20x1,5<br>black                                               |             |    |  |  |
| 5347        | 106<br>106                   | Cable gland M20x1,5<br>black                                               |             |    |  |  |
| 5346        | 106<br>106                   | Cable gland PERFECT<br>M16x1,5<br>black                                    |             |    |  |  |
| 5345        | 106<br>106                   | Cable gland PERFECT<br>M20*1,5<br>KV PA mit Reduzierung<br>RAL9005 schwarz |             |    |  |  |

# Sales Pricelist

10/8/2024

| item number    | item group<br>discount group | description                               | sales price | PU | QR code                                                                               | picture                                                                               |
|----------------|------------------------------|-------------------------------------------|-------------|----|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 5345           | 106                          | Cable gland PERFECT                       |             |    |    |    |
|                | 106                          | KV PA mit Reduzierung<br>RAL9005 schwarz  |             |    |                                                                                       |                                                                                       |
| 59360100000000 | 106                          | Cable hose holder 16                      |             |    |    |    |
|                | 106                          | mm Ø<br>(20 pcs.)                         |             |    |                                                                                       |                                                                                       |
| 59360100000000 | 106                          | Cable hose holder 16                      |             |    |    |    |
|                | 106                          | mm Ø<br>(20 pcs.)                         |             |    |                                                                                       |                                                                                       |
| 580300         | 106                          | Cable sleeve M20                          |             |    |   |   |
|                | 106                          |                                           |             |    |                                                                                       |                                                                                       |
| 583402         | 195                          | Catch owner                               |             |    |  |  |
|                | 195                          |                                           |             |    |                                                                                       |                                                                                       |
| 201400         | 134                          | Chemical metric valve 2-                  |             |    |  |  |
|                | 134                          | way ST66 black<br>without ball and spring |             |    |                                                                                       |                                                                                       |
| 2056           | 134                          | Chemical suctionhose                      |             |    |  |  |
|                | 134                          | filter                                    |             |    |                                                                                       |                                                                                       |
| 3403           | 410                          | Clamping screw                            |             |    |  |  |
|                | 410                          | M18x1.5 15-32/L 12A3C<br>GM 12L/10 A3C    |             |    |                                                                                       |                                                                                       |
| 5103           | 410                          | Clamp stst 31-38mm                        |             |    |  |  |
|                | 410                          | M8/10<br>with EPDM-Inlet                  |             |    |                                                                                       |                                                                                       |

# Sales Pricelist

10/8/2024

| item number | item group<br>discount group | description                                                                                               | sales price | PU | QR code                                                                               | picture                                                                               |
|-------------|------------------------------|-----------------------------------------------------------------------------------------------------------|-------------|----|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 2940        | 410<br>410                   | Clip Hose 1-Ear 10,0mm<br>clamping-area: 8-9,5mm<br>Stainless steel                                       |             |    |    |    |
| 2381        | 410<br>410                   | Clip Hose 1-Ear 11,0mm<br>clamping area: 8,8-<br>10,5mm Stainless steel                                   |             |    |    |    |
| 2381        | 410<br>410                   | Clip Hose 1-Ear 11,0mm<br>clamping area: 8,8-<br>10,5mm Stainless steel                                   |             |    |    |    |
| 289801      | 410<br>410                   | Clip Hose 1-Ear 11,8mm<br>Stainless steel                                                                 |             |    |   |   |
| 579818      | 405<br>405                   | Conection nipple Strawa<br>3/4"x1/2" M.M.                                                                 |             |    |  |  |
| 5376        | 106<br>106                   | Connector with LED red<br>230V AC, with varistor<br>4m cable and with seal<br>GPRA, for magnetic<br>valve |             |    |  |  |
| 5375        | 106<br>106                   | Connector with LED red<br>24V AC, with varistor<br>4m cable and with seal<br>GPRA, for magnetic<br>valve  |             |    |  |  |
| 22051       | 108<br>108                   | Contactore LC1 D50AP7<br>AC230V 50/60Hz<br>AC3 15/22kW-230/400V<br>AC1-80A 3S 1C/10                       |             |    |  |  |
| 5810        | 108<br>108                   | Contactore HDE/HSE<br>5,5/11kW 24V 50-60Hz<br>LC1D25B7 from 96'                                           |             |    |  |  |

# Sales Pricelist

10/8/2024

| item number | item group<br>discount group | description                                                                   | sales price | PU | QR code                                                                               | picture                                                                               |
|-------------|------------------------------|-------------------------------------------------------------------------------|-------------|----|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 23161       | 108                          | Contacteur LC1 K1210                                                          |             |    |    |    |
|             | 108                          | B7 AC24V 50/60Hz<br>AC3 3/5,5kW-230/400V<br>AC1-20A 3S/1S                     |             |    |                                                                                       |                                                                                       |
| 2267        | 180                          | Corner protection PVC                                                         |             |    |    |    |
|             | 180                          | with metal insert<br>black 1,0x4,5mm                                          |             |    |                                                                                       |                                                                                       |
| 5141710     | 123                          | CPU1212C                                                                      |             |    |    |    |
|             | 123                          | AC230V/DC24V/Relais<br>8DI/6DO/2AI                                            |             |    |                                                                                       |                                                                                       |
| 5141740     | 123                          | CPU-SM1221-DI 8                                                               |             |    |   |   |
|             | 123                          | 24VDC                                                                         |             |    |                                                                                       |                                                                                       |
| 5141708     | 123                          | CPU-SM1222-                                                                   |             |    |  |  |
|             | 123                          | DA8xRelais 30VDC                                                              |             |    |                                                                                       |                                                                                       |
| 386201      | 410                          | Cross recessed                                                                |             |    |  |  |
|             | 410                          | countersunk head screw<br>DIN 965 DIN-EN-ISO<br>7046 M6x16 stainless<br>steel |             |    |                                                                                       |                                                                                       |
| 576412      | 110                          | Distance piece for water                                                      |             |    |  |  |
|             | 110                          | deficiency 92mm<br>2.0401                                                     |             |    |                                                                                       |                                                                                       |
| 380501      | 405                          | Elbow brass 3/4"M -                                                           |             |    |  |  |
|             | 405                          | 3/4"F                                                                         |             |    |                                                                                       |                                                                                       |
| 2677        | 134                          | Elbow coupling 90° 2-                                                         |             |    |  |  |
|             | 134                          | pcs. 1/2"x3/4"<br>Plastic                                                     |             |    |                                                                                       |                                                                                       |

# Sales Pricelist

10/8/2024

| item number | item group<br>discount group | description                                        | sales price | PU | QR code                                                                               | picture                                                                               |
|-------------|------------------------------|----------------------------------------------------|-------------|----|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 5787        | 120                          | Electric box<br>430x190x100mm                      |             |    |    |    |
|             | 120                          | PP Talkum red                                      |             |    |                                                                                       |                                                                                       |
| 355601      | 407                          | Electric-Motor<br>3AC230/400V 50HZ<br>6.3kW MEC112 |             |    |    |    |
|             | 407                          | 1500rpm B3/B14 shaft<br>Ø28mm                      |             |    |                                                                                       |                                                                                       |
| 2629        | 405                          | Fitting clamping screw<br>brass hex SW36           |             |    |    |    |
|             | 405                          | 3/4" 6mm                                           |             |    |                                                                                       |                                                                                       |
| 53111       | 405                          | Fitting-Double nipple<br>brass                     |             |    |   |   |
|             | 405                          | 1" x 100 M.M.                                      |             |    |                                                                                       |                                                                                       |
| 5311        | 405                          | Fitting-Double nipple<br>brass                     |             |    |  |  |
|             | 405                          | 1" x 40 M.M.                                       |             |    |                                                                                       |                                                                                       |
| 5057        | 405                          | Fitting-Double nipple<br>brass hex SW29            |             |    |  |  |
|             | 405                          | 3/4"x41 M.M.                                       |             |    |                                                                                       |                                                                                       |
| 53117       | 405                          | Fitting-Double nipple stst<br>hex SW36             |             |    |  |  |
|             | 405                          | 1"x46 M.M.                                         |             |    |                                                                                       |                                                                                       |
| 5107        | 405                          | Fitting-Elbow 90° brass                            |             |    |  |  |
|             | 405                          | 1" F.M.                                            |             |    |                                                                                       |                                                                                       |
| 510701      | 405                          | Fitting-Elbow 90° brass                            |             |    |  |  |
|             | 405                          | 1/2" F.M.                                          |             |    |                                                                                       |                                                                                       |

# Sales Pricelist

10/8/2024

| item number | item group<br>discount group | description                                                        | sales price | PU | QR code                                                                               | picture                                                                               |
|-------------|------------------------------|--------------------------------------------------------------------|-------------|----|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 5109        | 405<br>405                   | Fitting-Elbow 90° brass<br>3/4" M.F.                               |             |    |    |    |
| 510701      | 405<br>405                   | Fitting-Elbow 90° brass<br>1/2" F.M.                               |             |    |    |    |
| 2093        | 405<br>405                   | Fitting-hose nipple brass<br>hex<br>1/4" M 6mm                     |             |    |    |    |
| 2093        | 405<br>405                   | Fitting-hose nipple brass<br>hex<br>1/4" M 6mm                     |             |    |   |   |
| 2733        | 405<br>405                   | Fitting-hose nipple brass<br>hex<br>1/8" M 6mm                     |             |    |  |  |
| 133653      | 405<br>405                   | Fitting-nipple brass<br>M22x1,5 R3/8\"F                            |             |    |  |  |
| 5098        | 405<br>405                   | Fitting-Reducer brass<br>hex SW24<br>1/2"x1/4" M.F.                |             |    |  |  |
| 5111        | 405<br>405                   | Fitting-Reducer brass<br>hex SW37<br>1"x1/2" M.F.                  |             |    |  |  |
| 3759        | 405<br>405                   | Fitting-Reducing nipple<br>brass hex SW28<br>3/4"x1/2" M.M. 38,3mm |             |    |  |  |

# Sales Pricelist

10/8/2024

| item number | item group<br>discount group | description                                        | sales price | PU | QR code                                                                               | picture                                                                               |
|-------------|------------------------------|----------------------------------------------------|-------------|----|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 3759        | 405                          | Fitting-Reducing nipple<br>brass hex SW28          |             |    |    |    |
|             | 405                          | 3/4"x1/2" M.M. 38,3mm                              |             |    |                                                                                       |                                                                                       |
| 5842        | 405                          | Fitting-Screwed Joint<br>brass                     |             |    |    |    |
|             | 405                          | 1" M.M. flat seal                                  |             |    |                                                                                       |                                                                                       |
| 384552      | 410                          | Flange button head<br>screw with inside<br>hexagon |             |    |    |    |
|             | 410                          | DIN-EN-ISO 7380-2<br>M6x10 stainless steel         |             |    |                                                                                       |                                                                                       |
| 533201      | 404                          | Flat Nipple elbow 90°<br>stst DN16                 |             |    |   |   |
|             | 404                          | for union nut R3/4"                                |             |    |                                                                                       |                                                                                       |
| 5332        | 404                          | Flat Nipple elbow 90°<br>stst DN20                 |             |    |  |  |
|             | 404                          | for union nut R3/4"                                |             |    |                                                                                       |                                                                                       |
| 5332        | 404                          | Flat Nipple elbow 90°<br>stst DN20                 |             |    |  |  |
|             | 404                          | for union nut R3/4"                                |             |    |                                                                                       |                                                                                       |
| 5710        | 404                          | Flat Nipple elbow 90°<br>stst DN20                 |             |    |  |  |
|             | 404                          | for union nut R1"                                  |             |    |                                                                                       |                                                                                       |
| 532802      | 404                          | Flat Nipple straight<br>brass nickelplated DN13    |             |    |  |  |
|             | 404                          | for union nut R3/4"                                |             |    |                                                                                       |                                                                                       |
| 5329        | 404                          | Flat Nipple straight<br>brass nickelplated DN20    |             |    |  |  |
|             | 404                          | for union nut R3/4"                                |             |    |                                                                                       |                                                                                       |

# Sales Pricelist

10/8/2024

| item number | item group<br>discount group | description                                                                    | sales price | PU | QR code                                                                               | picture                                                                                                                         |
|-------------|------------------------------|--------------------------------------------------------------------------------|-------------|----|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| 5329        | 404<br>404                   | Flat Nipple straight<br>brass nickelplated DN20<br>for union nut R3/4"         |             |    |    |                                                                                                                                 |
| 5363        | 404<br>404                   | Flat Nipple straight<br>brass nickelplated DN20<br>for union nut R1"           |             |    |    |                                                                                                                                 |
| 392712      | 196<br>196                   | Float valve body valve<br>DN10 0,3-10bar<br>os 3/4"M as 3/4"AG<br>strainer POM |             |    |    |  |
| 392711      | 120<br>120                   | Float valve handle<br>PA 6 GF30 black                                          |             |    |   |                                             |
| 3723        | 106<br>106                   | Fuse 250V 2A slow-<br>blowing                                                  |             |    |  |                                            |
| 5154        | 106<br>106                   | Fuse-automatic cut out<br>B10 S201                                             |             |    |  |                                            |
| 3994        | 106<br>106                   | Fuse-automatic cut out<br>B16 S201                                             |             |    |  |                                            |
| 399403      | 106<br>106                   | Fuse-automatic cut out<br>B6 S201                                              |             |    |  |                                            |
| 54181       | 106<br>106                   | Fuse-automatic cut out<br>K16 S271                                             |             |    |  |                                            |

# Sales Pricelist

10/8/2024

| item number | item group<br>discount group | description                                                                       | sales price | PU | QR code                                                                               | picture                                                                               |
|-------------|------------------------------|-----------------------------------------------------------------------------------|-------------|----|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 38331       | 106<br>106                   | Fuse-holder ZSI 2,5                                                               |             |    |    |    |
| 39971       | 195<br>195                   | Handle with push button                                                           |             |    |    |    |
| 283707      | 106<br>106                   | Heating Anti-Freeze<br>AC230V/50Hz 80W<br>thermic convection with<br>holder       |             |    |    |    |
| 2140        | 134<br>134                   | Heating Element 1.4404<br>6000W-10 400V length<br>400mm                           |             |    |   |   |
| 386305      | 410<br>410                   | Hexagon flange nut<br>serrated<br>like DIN 6923 DIN-EN<br>1661 M4 stainless steel |             |    |  |  |
| 386306      | 410<br>410                   | Hexagon flange nut<br>serrated<br>like DIN 6923 DIN-EN<br>1661 M5 stainless steel |             |    |  |  |
| 386307      | 410<br>410                   | Hexagon flange nut<br>serrated<br>like DIN 6923 DIN-EN<br>1661 M6 stainless steel |             |    |  |  |
| 386308      | 410<br>410                   | Hexagon flange nut<br>serrated<br>like DIN 6923 DIN-EN<br>1661 M8 stainless steel |             |    |  |  |
| 386306      | 410<br>410                   | Hexagon flange nut<br>serrated<br>like DIN 6923 DIN-EN<br>1661 M5 stainless steel |             |    |  |  |

# Sales Pricelist

10/8/2024

| item number | item group<br>discount group | description                                      | sales price | PU | QR code                                                                               | picture                                                                               |
|-------------|------------------------------|--------------------------------------------------|-------------|----|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 386307      | 410                          | Hexagon flange nut<br>serrated                   |             |    |    |    |
|             | 410                          | like DIN 6923 DIN-EN<br>1661 M6 stainless steel  |             |    |                                                                                       |                                                                                       |
| 386308      | 410                          | Hexagon flange nut<br>serrated                   |             |    |    |    |
|             | 410                          | like DIN 6923 DIN-EN<br>1661 M8 stainless steel  |             |    |                                                                                       |                                                                                       |
| 386309      | 410                          | Hexagon flange nut<br>serrated                   |             |    |    |    |
|             | 410                          | like DIN 6923 DIN-EN<br>1661 M10 stainless steel |             |    |                                                                                       |                                                                                       |
| 286212      | 410                          | Hexagon head screw<br>serrated with flange       |             |    |   |   |
|             | 410                          | like DIN 6921 M5x10<br>stainless steel           |             |    |                                                                                       |                                                                                       |
| 386205      | 410                          | Hexagon head screw<br>serrated with flange       |             |    |  |  |
|             | 410                          | like DIN 6921 M5x12<br>stainless steel           |             |    |                                                                                       |                                                                                       |
| 386207      | 410                          | Hexagon head screw<br>serrated with flange       |             |    |  |  |
|             | 410                          | like DIN 6921 M6x10<br>stainless steel           |             |    |                                                                                       |                                                                                       |
| 386211      | 410                          | Hexagon head screw<br>serrated with flange       |             |    |  |  |
|             | 410                          | like DIN 6921 M6x12<br>stainless steel           |             |    |                                                                                       |                                                                                       |
| 386215      | 410                          | Hexagon head screw<br>serrated with flange       |             |    |  |  |
|             | 410                          | like DIN 6921 M8x16<br>stainless steel           |             |    |                                                                                       |                                                                                       |
| 286212      | 410                          | Hexagon head screw<br>serrated with flange       |             |    |  |  |
|             | 410                          | like DIN 6921 M5x10<br>stainless steel           |             |    |                                                                                       |                                                                                       |

# Sales Pricelist

10/8/2024

| item number | item group<br>discount group | description                                                     | sales price | PU | QR code                                                                               | picture                                                                               |
|-------------|------------------------------|-----------------------------------------------------------------|-------------|----|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 386207      | 410                          | Hexagon head screw                                              |             |    |    |    |
|             | 410                          | serrated with flange<br>like DIN 6921 M6x10<br>stainless steel  |             |    |                                                                                       |                                                                                       |
| 386211      | 410                          | Hexagon head screw                                              |             |    |    |    |
|             | 410                          | serrated with flange<br>like DIN 6921 M6x12<br>stainless steel  |             |    |                                                                                       |                                                                                       |
| 386216      | 410                          | Hexagon head screw                                              |             |    |    |    |
|             | 410                          | serrated with flange<br>like DIN 6921 M8x20<br>stainless steel  |             |    |                                                                                       |                                                                                       |
| 386222      | 410                          | Hexagon head screw                                              |             |    |   |   |
|             | 410                          | serrated with flange<br>like DIN 6921 M10x30<br>stainless steel |             |    |                                                                                       |                                                                                       |
| 386207      | 410                          | Hexagon head screw                                              |             |    |  |  |
|             | 410                          | serrated with flange<br>like DIN 6921 M6x10<br>stainless steel  |             |    |                                                                                       |                                                                                       |
| 51821       | 410                          | Hexagon nut                                                     |             |    |  |  |
|             | 410                          | DIN 934 DIN-EN-ISO<br>4032 M4 stainless steel                   |             |    |                                                                                       |                                                                                       |
| 384506      | 410                          | Hexagon socket button                                           |             |    |  |  |
|             | 410                          | head screw<br>DIN-EN-ISO 7380-2<br>M4x6 stainless steel         |             |    |                                                                                       |                                                                                       |
| 384506      | 410                          | Hexagon socket button                                           |             |    |  |  |
|             | 410                          | head screw<br>DIN-EN-ISO 7380-2<br>M4x6 stainless steel         |             |    |                                                                                       |                                                                                       |
| 384509      | 410                          | Hexagon socket button                                           |             |    |  |  |
|             | 410                          | head screw<br>DIN-EN-ISO 7380-2<br>M4x10 stainless steel        |             |    |                                                                                       |                                                                                       |


# Sales Pricelist

10/8/2024

| item number | item group<br>discount group | description                                           | sales price | PU | QR code                                                                               | picture                                                                               |
|-------------|------------------------------|-------------------------------------------------------|-------------|----|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 38581       | 410                          | Hexagon socket head<br>cap screw                      |             |    |    |    |
|             | 410                          | DIN 912 DIN-EN-ISO<br>4762 M6x12 stainless<br>steel   |             |    |                                                                                       |                                                                                       |
| 399603      | 195                          | Hinge                                                 |             |    |    |    |
|             | 195                          | for SafeTerminal,<br>Vacuum Cleaner, LCE,<br>HSC-ST   |             |    |                                                                                       |                                                                                       |
| 399603      | 195                          | Hinge                                                 |             |    |    |    |
|             | 195                          | for SafeTerminal,<br>Vacuum Cleaner, LCE,<br>HSC-ST   |             |    |                                                                                       |                                                                                       |
| 237401      | 410                          | Hose clamp stst 12-<br>20mm                           |             |    |   |   |
|             | 410                          | 9mm wide                                              |             |    |                                                                                       |                                                                                       |
| 372401      | 410                          | Hose clamp stst 20-<br>32mm                           |             |    |  |  |
|             | 410                          | 12mm wide                                             |             |    |                                                                                       |                                                                                       |
| 372401      | 410                          | Hose clamp stst 20-<br>32mm                           |             |    |  |  |
|             | 410                          | 12mm wide                                             |             |    |                                                                                       |                                                                                       |
| 3688        | 405                          | Hose nipple brass hex<br>3/4"M 20mm                   |             |    |  |  |
|             | 405                          | 3/4" AG 20mm                                          |             |    |                                                                                       |                                                                                       |
| 296556      | 402                          | HP-Hose rubber steel<br>mesh DN08                     |             |    |  |  |
|             | 402                          | 315bar 150°C es HV<br>M22x1,5 90°/es<br>M18x1,5 1,15m |             |    |                                                                                       |                                                                                       |
| 2000        | 402                          | HP-Hose rubber steel<br>mesh DN08 315bar              |             |    |  |  |
|             | 402                          | 150°C bs HSC M22x1,5<br>bs bend protection 10m        |             |    |                                                                                       |                                                                                       |

# Sales Pricelist

10/8/2024

| item number | item group<br>discount group | description                                                                               | sales price | PU   | QR code                                                                               | picture                                                                                                                                                             |
|-------------|------------------------------|-------------------------------------------------------------------------------------------|-------------|------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 210501      | 402                          | HP-Hose rubber steel                                                                      |             |      |    |                                                                                  |
|             | 402                          | 150°C bs CNOL<br>M18x1,5/os90° 1,2m                                                       |             |      |                                                                                       |                                                                                                                                                                     |
| 3471        | 402                          | HP-Hose rubber steel                                                                      |             |      |    |                                                                                  |
|             | 402                          | 150°C bs CNOL<br>M18x1,5/os90° 320mm                                                      |             |      |                                                                                       |                                                                                                                                                                     |
| 371002      | 406                          | HP-Pump AR JHK11.15                                                                       |             |      |    |                                                                                  |
|             | 406                          | 11l/min 150bar 950rpm<br>/ 15l/min 180bar<br>1450rpm                                      |             |      |                                                                                       |                                                                                                                                                                     |
| 536578      | 404                          | INOX-Hose DN20 3/4"                                                                       |             |      |   |  |
|             | 404                          | L=680mm 15bar -30°C<br>until +110°C TÜV-SVGW                                              |             |      |                                                                                       |                                                                                                                                                                     |
| 620408      | 131                          | Lance container inox                                                                      |             | pcs. |  |                                                                                |
|             | 131                          | H.P., SoftFoam Lance<br>for cabinet mounting<br>SW/SWP, HSC                               |             |      |                                                                                       |                                                                                                                                                                     |
| 403701      | 185                          | Lock-Cylinder                                                                             |             |      |  |                                                                                |
|             | 185                          | Vacuum-Cleaner, HSC-<br>ST                                                                |             |      |                                                                                       |                                                                                                                                                                     |
| 583506      | 195                          | Locking rod above                                                                         |             |      |  |                                                                                |
|             | 195                          | 465mm<br>Vacuum Cleaner, HSC-<br>ST                                                       |             |      |                                                                                       |                                                                                                                                                                     |
| 583604      | 195                          | Locking rod below                                                                         |             |      |  |                                                                                |
|             | 195                          | 584mm<br>Vacuum-Cleaner, HSC-<br>ST                                                       |             |      |                                                                                       |                                                                                                                                                                     |
| 53845       | 408                          | Low-Pressure Pump                                                                         |             |      |  |                                                                                |
|             | 408                          | Medana CH1-L.2023-<br>1/E/E/10T<br>2,3-4,8 m³ / 1,8-0,8 bar<br>3AC400V 0,37kW<br>max.90°C |             |      |                                                                                       |                                                                                                                                                                     |

# Sales Pricelist

10/8/2024

| item number | item group<br>discount group | description                                                     | sales price | PU | QR code                                                                               | picture                                                                               |
|-------------|------------------------------|-----------------------------------------------------------------|-------------|----|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 27481       | 014                          | Low-Water Cut-Off c/w.                                          |             |    |    |    |
|             | 014                          | M12x1                                                           |             |    |                                                                                       |                                                                                       |
| 537005      | 112                          | Magnetic-valve DN1,5                                            |             |    |    |    |
|             | 112                          | 1/4" 0-200bar Rubin<br>INOX<br>2/2 NC directacting<br>AC24V/25W |             |    |                                                                                       |                                                                                       |
| 536904      | 112                          | Magnetic-valve DN12                                             |             |    |    |    |
|             | 112                          | 1/2" 0,02bar EPDM<br>INOX<br>2/2 NC directacting<br>AC24V/15W   |             |    |                                                                                       |                                                                                       |
| 537301      | 112                          | Magnetic-valve DN4                                              |             |    |   |   |
|             | 112                          | 1/4" 0-2bar EPDM brass<br>2/2 NC directacting<br>AC230V / 8W    |             |    |                                                                                       |                                                                                       |
| 300023      | 112                          | Magnetic-valve Unit                                             |             |    |  |  |
|             | 112                          | HSC<br>DN4 1/4" 0-2bar EPDM<br>MS NC direct<br>AC230V/8W        |             |    |                                                                                       |                                                                                       |
| 24372       | 106                          | Maximum Thermostat                                              |             |    |  |  |
|             | 106                          | 95°C<br>with mechanical On-<br>delay                            |             |    |                                                                                       |                                                                                       |
| 4004        | 195                          | Metal-Bar Lock                                                  |             |    |  |  |
|             | 195                          |                                                                 |             |    |                                                                                       |                                                                                       |
| 2998        | 110                          | Nipple for HP Outlet                                            |             |    |  |  |
|             | 110                          | M22x1,5/M18x1,5M<br>length 47mm, stainless<br>steel 1.4305      |             |    |                                                                                       |                                                                                       |
| 275201      | 106                          | Operating hours counter                                         |             |    |  |  |
|             | 106                          | electrical 24V/50Hz<br>HMR AC/DC PM NA BP                       |             |    |                                                                                       |                                                                                       |

# Sales Pricelist

10/8/2024

| item number | item group<br>discount group | description                                                                           | sales price | PU | QR code                                                                               | picture                                                                               |
|-------------|------------------------------|---------------------------------------------------------------------------------------|-------------|----|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 5769        | 184<br>184                   | O-ring 350x3 NBR70                                                                    |             |    |    |    |
| 5189        | 108<br>108                   | Overload-Protection 1,8-2,6A                                                          |             |    |    |    |
| 2581        | 108<br>108                   | Overload-Protection 9-13A                                                             |             |    |    |    |
| 5837        | 184<br>184                   | Performance socket<br>39x50x57<br>DG M50 black<br>unperforated                        |             |    |   |   |
| 5837        | 184<br>184                   | Performance socket<br>39x50x57<br>DG M50 black<br>unperforated                        |             |    |  |  |
| 583703      | 184<br>184                   | Performance socket<br>9,5x13,5x4,0 f. HSC<br>*Durchführungstülle<br>9,5x13,5x4,0 HSC* |             |    |  |  |
| 593500      | 134<br>134                   | Plunger Pump CEME<br>508/LA<br>EPDM, 230V, 50Hz,<br>25W                               |             |    |  |  |
| 300022      | 134<br>134                   | Plunger Pump Unit<br>Chemical<br>HSC                                                  |             |    |  |  |
| 2352        | 403<br>403                   | Polyamide-hose natural<br>12PH DIN73378 4x6mm<br>-40°C/+100°C                         |             |    |  |  |

# Sales Pricelist

10/8/2024

| item number | item group<br>discount group | description                                                                              | sales price | PU | QR code                                                                               | picture                                                                                             |
|-------------|------------------------------|------------------------------------------------------------------------------------------|-------------|----|---------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|
| 573601      | 413<br>413                   | Pressfitting connector F<br>stainless steel<br>with union nut brass<br>Ø22mm x 3/4"      |             |    |    |                  |
| 547002      | 413<br>413                   | Pressfitting elbow 90°<br>F/M stainless steel<br>Ø22mm                                   |             |    |    |                  |
| 1263206     | 134<br>134                   | Pressure switch brass<br>1/4"M 25bar<br>250V 15A 90°C 3m<br>cable                        |             |    |    |   |
| 1263206     | 134<br>134                   | Pressure switch brass<br>1/4"M 25bar<br>250V 15A 90°C 3m<br>cable                        |             |    |   |  |
| 509702      | 014<br>014                   | Pressure-Gauge 0-<br>10bar gly. Ø50mm<br>1/4"AG<br>connection back centirc,<br>INOX-case |             |    |  |                |
| 201305      | 014<br>014                   | Pressure-gauge 0-<br>250bar gly. Ø50 1/4"M<br>connection back centric,<br>INOX-case      |             |    |  |          |
| 51612       | 120<br>120                   | Push button cover<br>PVC                                                                 |             |    |  |                |
| 516104      | 108<br>108                   | Push-button white incl.<br>LED double 12VDC<br>for Moduline                              |             |    |  |                |
| 2057011     | 403<br>403                   | PVC-hose transparent<br>6x9mm<br>7,0bar -20°C/+65°C                                      |             |    |  |                |


# Sales Pricelist

10/8/2024

| item number | item group<br>discount group | description                                         | sales price | PU   | QR code                                                                               | picture                                                                               |
|-------------|------------------------------|-----------------------------------------------------|-------------|------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 130017      | 403                          | PVC-hose transparent<br>6x9mm 750mm                 |             | pcs. |    |    |
|             | 403                          | 7,0bar -20°C/+65°C                                  |             |      |                                                                                       |                                                                                       |
| 5802        | 403                          | PVC-hose with fabric<br>transparent 19x4mm-<br>3/4" |             |      |    |                                                                                       |
|             | 403                          | 11bar BP33bar -20°C/+<br>65°C                       |             |      |                                                                                       |                                                                                       |
| 2781        | 405                          | Reducer brass<br>nickelplated conical               |             |      |    |    |
|             | 405                          | Mod. 2530 3/8"-1/4" M/F                             |             |      |                                                                                       |                                                                                       |
| 50565       | 108                          | Relay AC24V, 2<br>Changer, 8A                       |             |      |   |   |
|             | 108                          | LED, varisator and<br>bracket                       |             |      |                                                                                       |                                                                                       |
| 527514      | 410                          | Retaining wahser for<br>shafts DIN 6799             |             |      |  |  |
|             | 410                          | Ø1=4mm Ø2=9,3mm<br>zinc plated                      |             |      |                                                                                       |                                                                                       |
| 4008        | 106                          | Row-clamp                                           |             |      |  |  |
|             | 106                          | ZDU2,5/3AN                                          |             |      |                                                                                       |                                                                                       |
| 4009        | 106                          | Row-clamp ZDU2,5/3AN                                |             |      |  |  |
|             | 106                          |                                                     |             |      |                                                                                       |                                                                                       |
| 2688        | 403                          | Rubber-hose black<br>13x21mm R1/2"                  |             |      |  |                                                                                       |
|             | 403                          | 30bar -30°C/+100°C                                  |             |      |                                                                                       |                                                                                       |
| 3667        | 403                          | Rubber-hose black<br>19x28mm R3/4"                  |             |      |  |                                                                                       |
|             | 403                          | 30bar -30°C/+100°C                                  |             |      |                                                                                       |                                                                                       |

# Sales Pricelist

10/8/2024

| item number | item group<br>discount group | description                                           | sales price | PU | QR code                                                                               | picture                                                                               |
|-------------|------------------------------|-------------------------------------------------------|-------------|----|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 3667        | 403                          | Rubber-hose black<br>19x28mm R3/4"                    |             |    |    |    |
|             | 403                          | 30bar -30°C/+100°C                                    |             |    |                                                                                       |                                                                                       |
| 300076      | 666                          | Schaltkasten mit<br>Unterteil geschlossen,<br>gebohrt |             |    |    |                                                                                       |
|             | 120                          | für HSC-elekt.30KW<br>FR.                             |             |    |                                                                                       |                                                                                       |
| 59871       | 410                          | Screw countersunk head                                |             |    |    |    |
|             | 410                          | like KN 6039 STS plus<br>M4x10 stainless steel        |             |    |                                                                                       |                                                                                       |
| 38613       | 410                          | Screw cross recessed<br>head 4.8                      |             |    |   |   |
|             | 410                          | DIN 7985 DIN-EN-ISO<br>7045 M4x10 stainless<br>steel  |             |    |                                                                                       |                                                                                       |
| 518305      | 410                          | Screw cross recessed<br>head 4.8                      |             |    |  |  |
|             | 410                          | DIN 7985 DIN-EN-ISO<br>7045 M5x6 zinc plated          |             |    |                                                                                       |                                                                                       |
| 2637        | 410                          | Screw panhead C-H                                     |             |    |  |  |
|             | 410                          | DIN 7981 DIN-EN-ISO<br>7049 M3,9x9,5 zinc<br>plated   |             |    |                                                                                       |                                                                                       |
| 3669        | 410                          | Screw panhead C-H                                     |             |    |  |  |
|             | 410                          | DIN 7981 DIN-EN-ISO<br>7049 M2,9x9,5 zinc<br>plated   |             |    |                                                                                       |                                                                                       |
| 2359        | 121                          | Screw union 3/8" 12L                                  |             |    |  |  |
|             | 121                          |                                                       |             |    |                                                                                       |                                                                                       |
| 2359        | 121                          | Screw union 3/8" 12L                                  |             |    |  |  |
|             | 121                          |                                                       |             |    |                                                                                       |                                                                                       |

# Sales Pricelist

10/8/2024

| item number | item group<br>discount group | description                                           | sales price | PU | QR code                                                                               | picture                                                                               |
|-------------|------------------------------|-------------------------------------------------------|-------------|----|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 20961       | 110                          | Screw union GE-12LR<br>3/8"                           |             |    |    |    |
|             | 110                          | 1.0038                                                |             |    |                                                                                       |                                                                                       |
| 206602      | 121                          | Screw union straight<br>brass nickelplated<br>conical |             |    |    |    |
|             | 121                          | 6/4"-1/4" M.                                          |             |    |                                                                                       |                                                                                       |
| 2157        | 121                          | Screw union XGE-12LR<br>B3/8"                         |             |    |    |    |
|             | 121                          |                                                       |             |    |                                                                                       |                                                                                       |
| 2234        | 121                          | Screw-in fitting<br>EVGE12LR 1/4"                     |             |    |   |   |
|             | 121                          |                                                       |             |    |                                                                                       |                                                                                       |
| 2086        | 121                          | Screw-union XEVL-12L-<br>V A3C                        |             |    |  |  |
|             | 121                          |                                                       |             |    |                                                                                       |                                                                                       |
| 2358        | 121                          | Screw-union XGE12LRB<br>1/2                           |             |    |  |  |
|             | 121                          |                                                       |             |    |                                                                                       |                                                                                       |
| 5399        | 184                          | Seal 1 1/4"<br>38,0x27x2mm                            |             |    |  |  |
|             | 184                          | Klingersil C-4400                                     |             |    |                                                                                       |                                                                                       |
| 5398        | 184                          | Seal 1" 30,0x21x2                                     |             |    |  |  |
|             | 184                          | Klingersil C-4400                                     |             |    |                                                                                       |                                                                                       |
| 5397        | 184                          | Seal 3/4" 24,0x17x2 mm                                |             |    |  |  |
|             | 184                          | Klingersil C-4400                                     |             |    |                                                                                       |                                                                                       |


# Sales Pricelist

10/8/2024

| item number | item group<br>discount group | description                                                                    | sales price | PU | QR code                                                                               | picture                                                                               |
|-------------|------------------------------|--------------------------------------------------------------------------------|-------------|----|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 5397        | 184<br>184                   | Seal 3/4" 24,0x17x2 mm<br>Klingersil C-4400                                    |             |    |    |    |
| 27991       | 410<br>410                   | Serrated lock washer<br>type A DIN 6798<br>Ø1=8,4mm Ø2=15mm<br>stainless steel |             |    |    |    |
| 371011      | 109<br>109                   | Set HP-Pump flange<br>and coupling AR<br>F28                                   |             |    |    |    |
| 518501      | 110<br>110                   | Spacer stainless steel Ø<br>56x34                                              |             |    |   |   |
| 5063        | 404<br>404                   | Special distributor for<br>antifreezingfeed DN25<br>pump 4VA-2                 |             |    |  |  |
| 5336        | 404<br>404                   | Squeeze Cap stst DN20<br>29,0x20,7mm L=30mm                                    |             |    |  |  |
| 546307      | 601<br>601                   | stainless steel Ø22 x 1,5<br>6m long 1,4301                                    |             |    |  |                                                                                       |
| 205201      | 134<br>134                   | Stargrippnut black/red<br>PA6<br>with thread insert<br>galvanized              |             |    |  |  |
| 586803      | 134<br>134                   | Steel rope zinc plated<br>Ø1mm, 20cm<br>eye Ø5mm, for M3                       |             |    |  |  |

# Sales Pricelist

10/8/2024

| item number    | item group<br>discount group | description                                                                              | sales price | PU | QR code                                                                               | picture                                                                                         |
|----------------|------------------------------|------------------------------------------------------------------------------------------|-------------|----|---------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|
| 59011000000000 | 189<br>189                   | Sticker EHRLE<br>CarWash for control box<br>royalplast FTC Ultra,<br>printet, 80mm round |             |    |    |              |
| 5296           | 133<br>133                   | Suction basket with Foot<br>-Valve 1" 190D                                               |             |    |    |              |
| 578714         | 120<br>120                   | Switchbox underpart<br>closed with top<br>PP TV20 black cap, seal<br>and quarterturns    |             |    |    |              |
| 25091          | 120<br>120                   | Switchcover o-off 1-hole<br>20,5mm<br>PA6 GF30 black                                     |             |    |   |             |
| 3938           | 012<br>012                   | Tank 40l<br>for Selfservice<br>CarWash/HSC/JW                                            |             |    |  |            |
| 2249           | 014<br>014                   | Thermostat 0-120°C<br>fixed stop 80°C                                                    |             |    |  |            |
| 2252           | 120<br>120                   | Thermostat covering<br>PP TV10 black                                                     |             |    |  |            |
| 576402         | 110<br>110                   | Thermostat screw G1/2"<br>Brass<br>2.0402                                                |             |    |  |  |
| 353801         | 106<br>106                   | Thermostat universal 0-<br>40° FTR                                                       |             |    |  |            |

# Sales Pricelist

10/8/2024

| item number | item group<br>discount group | description                                                                                               | sales price | PU | QR code                                                                               | picture                                                                               |
|-------------|------------------------------|-----------------------------------------------------------------------------------------------------------|-------------|----|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 394010      | 131<br>131                   | Trigger gun anti-freeze<br>green low pressure with<br>spraylance 600mm,<br>nozzle protection red<br>1/4"F |             |    |    |    |
| 5334        | 404<br>404                   | Union nut brass<br>nickelplated DN20 R3/4"                                                                |             |    |    |                                                                                       |
| 5334        | 404<br>404                   | Union nut brass<br>nickelplated DN20 R3/4"                                                                |             |    |    |                                                                                       |
| 5362        | 404<br>404                   | Union nut brass<br>nickelplated DN25 R1"                                                                  |             |    |   |                                                                                       |
| 362611      | 151<br>151                   | Unloader-Unit VRT3<br>Standard<br>HSC1140 electric / gas                                                  |             |    |  |  |
| 352604      | 151<br>151                   | Unloader-Valve VRT3<br>3/8" standard<br>250bar/40l/min<br>c/w. hand-wheel<br>KD/KDB/KDD/HD-<br>Etronic1   |             |    |  |  |
| 38711       | 410<br>410                   | Washer DIN 9021 DIN-<br>EN-ISO 7093<br>Ø1=8,4mm Ø2=24mm<br>stainless steel                                |             |    |  |  |
| 39181       | 410<br>410                   | Washer DIN 9021 DIN-<br>EN-ISO 7093<br>Ø1=6,4mm Ø2=18mm<br>stainless steel                                |             |    |  |  |
| 38711       | 410<br>410                   | Washer DIN 9021 DIN-<br>EN-ISO 7093<br>Ø1=8,4mm Ø2=24mm<br>stainless steel                                |             |    |  |  |

# Sales Pricelist

10/8/2024

| item number | item group<br>discount group | description                                         | sales price | PU | QR code                                                                               | picture                                                                               |
|-------------|------------------------------|-----------------------------------------------------|-------------|----|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 38781       | 410                          | Washer DIN 9021 DIN-<br>EN-ISO 7093                 |             |    |    |    |
|             | 410                          | Ø1=5,3mm Ø2=15mm<br>stainless steel                 |             |    |                                                                                       |                                                                                       |
| 39181       | 410                          | Washer DIN 9021 DIN-<br>EN-ISO 7093                 |             |    |    |    |
|             | 410                          | Ø1=6,4mm Ø2=18mm<br>stainless steel                 |             |    |                                                                                       |                                                                                       |
| 2705        | 410                          | Washer type A DIN 125<br>DIN-EN-ISO 7089            |             |    |    |    |
|             | 410                          | Ø1=8,4mm Ø2=16mm<br>zinc plated                     |             |    |                                                                                       |                                                                                       |
| 52421       | 013                          | Waterfilter R1" PVC<br>310mm                        |             |    |   |   |
|             | 013                          | with filter cartridge 150µ                          |             |    |                                                                                       |                                                                                       |
| 52427       | 013                          | Waterfilter R3/4" PVC<br>193mm                      |             |    |  |  |
|             | 013                          | with filter cartridge 150µ                          |             |    |                                                                                       |                                                                                       |
| 5365        | 404                          | Water-Hose stst-<br>reinforced DN20 R3/4"           |             |    |  |  |
|             | 404                          | 20x28mm<br>R3/4" 10bar -30°C to +<br>110°C TÜV/SVGW |             |    |                                                                                       |                                                                                       |
| 2901        | 107                          | Wire H05VV-F 4x1,5²<br>BK                           |             |    |  |  |
|             | 107                          |                                                     |             |    |                                                                                       |                                                                                       |
| 2901        | 107                          | Wire H05VV-F 4x1,5²<br>BK                           |             |    |  |  |
|             | 107                          |                                                     |             |    |                                                                                       |                                                                                       |
| 399102      | 107                          | Wire H07V-K 1x1,5²<br>GN/YE                         |             |    |  |  |
|             | 107                          |                                                     |             |    |                                                                                       |                                                                                       |

# Sales Pricelist

10/8/2024

| item number | item group<br>discount group | description                       | sales price | PU | QR code                                                                               | picture                                                                               |
|-------------|------------------------------|-----------------------------------|-------------|----|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 5348        | 106<br>106                   | Wire-joint nut M25x1,5<br>grey    |             |    |    |    |
| 5349        | 106<br>106                   | Wire-joint nut M32x1,5<br>grey    |             |    |    |    |
| 5684        | 106<br>106                   | Wire-joint nut M40x1,5<br>black   |             |    |    |    |
| 5312        | 106<br>106                   | Wire-joint PERFECT<br>M25x1,5     |             |    |   |   |
| 5340        | 106<br>106                   | Wire-joint PERFECT<br>M32*1,5 4x8 |             |    |  |  |
| 5499        | 106<br>106                   | Wire-joint PERFECT<br>M40*1,5     |             |    |  |  |
| 508103      | 106<br>106                   | Wiring duct 60x25mm<br>LK4, grey  |             |    |  |  |
| 508102      | 106<br>106                   | Wiring duct 60x40mm               |             |    |  |  |